



IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing

This IAPMO R&T Listing is current as of 3/4/2019

Product: Clarifiers

File No. 5828

Issued To: JENSEN PRECAST
825 STENERI WAY
SPARKS, NV 89431

Identification: Clarifiers shall be permanently and legibly marked with the manufacturer's name and/or trademark, model number and liquid retention capacity. Unit shall also bear the UPC® certification mark.

Characteristics: Clarifiers with three (3) compartments may be specific in task or function and are designed to separate liquids and/or solids having different specific gravity than water.

Clarifiers shall have a minimum size of 20 inches of manhole over the inlet and outlet compartments. It is recommended that a sample box be located at the outlet end of all grease interceptors so that the administrative authorities can periodically sample effluent quality. May be manufactured in concrete, steel, fiberglass reinforced polyester or polyethylene material. To be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

IAPMO PS 80-2008

MODELS:

Clarifiers
CL-750, CL-1000, CL-1200, CL-1500, CL-2000,
CL-2500, CL-3000, CL-4000, CL-5000

This information was valid on 3/4/2019.